

Bastech 380

T E C H N I C A L B U L L E T I N



BASTECH
SERVICE • SAVINGS • SOLUTIONS

Float Aid 380 is a fatty acid based flotation agent for use in the primary floatation of phosphate rock

TYPICAL PROPERTIES

Appearance	Dark brown liquid
Density at 100°F	7.6 to 8.4 ppg
Viscosity at 100°F	< 300 cps
Water	< 3.0%

Applications

Float Aid 380 is typically added at a rate of 0.5 to 1.0 pounds per ton.

Storage and Handling

This product will titer, please store above 100°F. If titered the product should be warmed and mixed prior to use.

Regulatory Status

Float Aid 380 is TSE/BSE free and does not contain prohibited materials defined in 21 CFR 589.2000.

The components of Float Aid 380 are listed on the TSCA inventory.

This product does not contain components that are regulated by California Proposition 65.

Packaging Information

Float Aid 380 is available in bulk, tote bins at 2200 pounds net, and 55 gallon drums with a net weight of 400 pounds.

Main Office

3211 Powers Avenue
Jacksonville, FL 32207
Office: 800.874.4886
Fax: 904.737.1762

Natchez Office

180 Le Barry Road
Natchez, MS 39120
(601) 442-6841 Phone
(601) 442-6819 fax

www.bastech-chem.com