

# Bastech 420

T E C H N I C A L B U L L E T I N



**BASTECH**  
SERVICE • SAVINGS • SOLUTIONS

Bastech 420 is a fatty acid and surfactant based defoamer designed for use in the phosphate rock acidification processing areas.

## TYPICAL PROPERTIES

Appearance	Clear, dark brown liquid
Density at 100°F	7.5 to 8.3 ppg
Viscosity at 100°F	< 300 cps
Solubility in water	Insoluble

## Applications

Bastech 420 is typically added at a rate of 0.2 to 1.0 pounds per ton.

## Storage and Handling

This product will titer, please store above 100°F. If titered the product should be warmed and mixed prior to use.

## Regulatory Status

Bastech 420 is TSE/BSE free and does not contain prohibited materials defined in 21 CFR 589.2000.

The components of Bastech 420 are listed on the TSCA inventory.

This product does not contain components that are regulated by California Proposition 65.

## Packaging Information

Bastech 420 is available in bulk, tote bins at 2200 pounds net, and 55 gallon drums with a net weight of 400 pounds.

### Main Office

3211 Powers Avenue  
Jacksonville, FL 32207  
Office: 800.874.4886  
Fax: 904.737.1762

### Natchez Office

180 Le Barry Road  
Natchez, MS 39120  
(601) 442-6841 Phone  
(601) 442-6819 fax

[www.bastech-chem.com](http://www.bastech-chem.com)